

---

**International Committee for Information Technology Standards**  
Information Technology Industry Council (ITI)  
1101 K Street, NW, Suite 610, Washington, DC 20005

---

Date:	May 20, 2013
Reply to:	Rachel Porter, Associate Manager, Standards Operations
Phone:	202-626-5741
Email:	<a href="mailto:rporter@itic.org">rporter@itic.org</a>

Notification of Public Review and Comments Register for Maintenance of the 2013 List of Standards in INCITS EB recommended for stabilization. The public review period is from May 31, 2013 - July 15, 2013.

---

**INCITS 184-1993[R2008]** Fiber Distributed Data Interface (FDDI) Single Mode Physical Layer Medium Dependent(SMF-PMD)

**INCITS 371.1-2003[R2008]** Information technology - Real Time Locating Systems (RTLS) Part 1: 2.4 GHz Air Interface Protocol

**INCITS 371.2-2003[R2008]** Information technology - Real Time Locating Systems (RTLS) Part 2: 433 MHz Air Interface Protocol

**INCITS 371.3-2003[R2008]** Information technology - Real Time Locating Systems (RTLS) Part 3: Application Programming Interface

**INCITS 312-1998[R2008]** Magnetic Tape Cartridge 0.50 in (12.65 mm), Serial Serpentine, 112-Track, 81 600 bpi (3213 bpmm), DLT4 Format

**INCITS 315-1998[R2008]** Unrecorded magnetic tape cartridge for information interchange, 12.65 mm (0.498in), 128-track, parallel serpentine, 2550 ftpmm (64 770 ftpi)

**INCITS 175-1999[R2008]** 19-mm Type ID-1 Recorded Instrumentation - Digital Cassette Tape Form

**INCITS 311-1998[R2008]** Magnetic Tape Format for Information Interchange, 128-Track, Parallel Serpentine, 12.65 mm (1/2 in), 3400 bpmm (86 360 bpi) Run Length Limited Recording

**INCITS/ISO/IEC 1831:1980[R2008]** Printing specifications for optical character recognition

**INCITS/ISO/IEC 12246:1993[R2008]** 8 mm wide magnetic tape cartridge dual azimuth format for information interchange - Helical Scan Recording

**INCITS/ISO/IEC 1073-1:1976[R2008]** Alphanumeric character set for optical recognition - Part 1: Character set OCR-A, Shapes and dimensions of the printed image

**INCITS/ISO/IEC 1073-2:1976[R2008]** Coded character sets - Alphanumeric character sets for optical recognition - Part 2: Character set OCR-B, Shapes and dimensions of the printed image

**INCITS/ISO/IEC 5807:1985[R2008] Info** Proc - Documentation Symbols and Conventions for Data, Program, & System Flowcharts, Program Network Charts, and System Resource Charts (Formerly X3.5-1970)

**INCITS/ISO/IEC 12248:1993[R2008]** 3,81 mm wide magnetic tape cartridge for information interchange - Helical scan recording - DATA/DAT-DC format using 60m and 90 m length tapes

---

If the action is to accept in whole or in part a proposal contained in the comment, the changes should be sent to the Associate Manager of Standards Operations together with any comments supporting the change. If the action is to reject in whole or in part proposals contained in the comment, the response should provide the rationale for the rejection.

The comment should be discussed at the next meeting, and if not definitively responded to at once, an interim acknowledgment should be sent along with an estimated date of action.

The final response to the commentor must include the provision that the commentor has twenty working days from the postmark of the committees response to indicate, in a written statement, acceptance or rejection of the response.

---

**No comments have been received to date.**

