

# **Gigabit Interface Converter (GBIC)**

## **Revision 4.5**

Sun Microsystems Computer Company  
2550 Garcia Avenue  
Mountain View, CA 94043-1100

Vixel Corporation  
11911 North Creek Parkway South  
Suite 100  
Bothell, WA 98011

Compaq Computer Corporation  
PO Box 692000  
Houston, TX 77269

AMP Incorporated  
P.O. Box 3608  
Harrisburg, PA 17105-3608

© 1996 Sun Microsystems, Inc. - Printed in the United States of America.  
2550 Garcia Avenue, Mountain View, California 94043-1100 U.S.A.

All rights reserved. This product or document is protected by copyright and distributed under licenses restricting its use, copying, distribution, and decompilation. No part of this product or document may be reproduced in any form by any means without prior written authorization of Sun and its licensors, if any.

RESTRICTED RIGHTS LEGEND: Use, duplication, or disclosure by the government is subject to restrictions as set forth in DFARS 252.227-7203(a) and FAR 52.227-19.

The product described in this manual may be protected by one or more U.S. patents, foreign patents, or pending applications.

#### TRADEMARKS

Sun, Sun Microsystems, the Sun logo, and Solaris are trademarks or registered trademarks of Sun Microsystems, Inc. in the United States and certain other countries. AMP and Champ are trademarks or registered trademarks of AMP Incorporated.

THIS PUBLICATION IS PROVIDED "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, OR NON-INFRINGEMENT.

THIS PUBLICATION COULD INCLUDE TECHNICAL INACCURACIES OR TYPOGRAPHICAL ERRORS. CHANGES ARE PERIODICALLY ADDED TO THE INFORMATION HEREIN. THESE CHANGES WILL BE INCORPORATED IN NEW EDITIONS OF THE PUBLICATION. SUN MICROSYSTEMS, INC. MAY MAKE IMPROVEMENTS AND/OR CHANGES IN THE PRODUCT(S) AND/OR THE PROGRAM(S) DESCRIBED IN THIS PUBLICATION AT ANY TIME.

# Publication History

Revision Number	Description	Date
1.0	Initial Publication of Document, Preliminary	11/29/95
1.1	Correct length dimension of module	12/01/95
2.0, 2.1	Corrections of mechanical and electrical definitions	03/25/96
3.0, 3.1	Reformatting document, adding new dimensions	07/14/96
3.2	Not published	11/20/96
3.3	Major revision, timing charts, serial TYP_DEF definition, modification to parameters using references from FC-PH-3.	12/13/96
3.4	Minor updates and clarifications	02/11/97
4.0	Correct typographical errors Provide alternate interpretation of serial MOD_DEF capabilities. Refine tolerances on GBIC.	02/25/97
4.1	Clarify timing Clarify mechanical latch tolerance Add connector drawing, stability chart	04/28/97
4.2	Minor editorial improvements	06/03/97
4.3	Modify dimension L Correct Annex F parameters Extend MOD_DEF meanings Add LW 1.25 Gabbled MOD_DEF Improve Serial stream definition	08/22/97
4.4	Add GBIC MM/SM color coding Update jitter values and define them by reference to appropriate standards. Clarify MOD_DEF support for 6 and 7. Modified definition of MOD_DEF 1 and 2 to separate intracabinet and intercabinet connections. Included long-wave power trade-off charts. Add SONET parameters for MOD_DEF 4. Correct receptacle dimensions and drawing.	12/01/97
4.5	Assorted editorial and terminology corrections. Improve MOD_DEF 3 and 6 transmitter curves. Update MOD_DEF 3, 6 sensitivity numbers. Define RX_LOS, TX_DISABLE for MOD_DEF 1. Correct MOD_DEF 1 and 2 connector pinouts. Clarify 3.3 volt interface requirements. Update references. Complete text of Annex D, removing notes.	1/28/98



# Table of Contents

1	Scope .....	3
2	Applicable Documents .....	3
3	Introduction and overview .....	3
3.1	Connection to external Fibre Channel .....	4
3.2	Connection of GBIC to host enclosure .....	5
3.3	Overview of internal interface signal functions .....	6
4	Electronic Specification for all GBICs .....	7
4.1	Power .....	7
4.2	High speed serial interface electronic characteristics .....	7
4.3	Low Speed signals, electronic characteristics .....	9
4.4	Termination .....	10
4.5	Safety requirements .....	10
5	Operational Description .....	11
5.1	Overview of data transfer .....	11
5.2	GBIC module definition determination .....	11
5.2.1	Serial module definition protocol .....	12
5.3	GBIC management algorithms .....	13
5.3.1	GBIC timing parameters .....	13
5.3.2	GBIC power on initialization procedure, TX_DISABLE negated. ....	13
5.3.3	GBIC power on initialization procedure, TX_DISABLE asserted. ....	14
5.3.4	Initialization during hot plugging of GBIC. ....	15
5.3.5	GBIC transmitter management .....	15
5.3.6	GBIC fault detection and presentation .....	16
5.3.7	GBIC fault recovery .....	16
5.3.8	GBIC loss of signal indication .....	18
6	Mechanical interface for all GBICs .....	19
6.1	Insertion and removal .....	22

6.2	Labeling requirements	22
6.3	Connector definition	22
7	Environmental Requirements for all GBICs	28
7.1	Temperature	28
Annex A: Module definition “1” GBIC		
	(copper inter-enclosure)	29
A.1	Overview of module definition 1 GBIC	29
A.2	Operation	30
A.3	External Connector Definition	31
A.4	Special considerations	31
Annex B: Module definition ‘2’ GBIC		
	(copper intra-enclosure)	33
B.1	Overview of module definition 2 GBIC	33
B.2	Initialization and error management	34
B.3	External Connector Definition	34
B.4	Special considerations	35
Annex C: Module definition “3” GBIC (single mode laser)		
C.1	Overview of module definition 3 GBIC	37
C.2	Optical transmitter power	37
C.3	Optical signal definitions	38
C.4	Optical transceiver timing	38
C.5	Initialization and error management	38
C.6	External connector definition and color coding	38
C.7	Recommended external plug color coding	38
Annex D: Module definition “4” GBIC (Serial Identification)		
D.1	Overview of module definition 4 GBIC	41
D.2	Serial information definition	41
D.3	Color coding of optical connectors	48
D.4	Recommended external plug color coding	48
Annex E: Module definition “5” GBIC (shortwave laser)		
		49

E.1	Overview of module definition 5 GBIC	49
E.2	Optical signal definitions	49
E.3	Optical transceiver	50
E.4	Initialization and error management	50
E.5	External connector definition and color coding	50
E.6	Recommended external plug color coding	50
Annex F:	Module definition “6” GBIC (single mode laser)	51
F.1	Overview of module definition 6 GBIC	51
F.2	Optical transmitter power	52
F.3	Optical signal definitions	54
F.4	Optical transceiver timing	55
F.5	Initialization and error management	55
F.6	External connector definition and color coding	55
F.7	Recommended external plug color coding	55
Annex G:	Module definition “7” GBIC (shortwave laser)	57
G.1	Overview of module definition 7 GBIC	57
G.2	Optical signal definitions	58
G.3	Optical transceiver	58
G.4	Initialization and error management	58
G.5	External connector definition and color coding	58
G.6	Recommended external plug color coding	58





## Foreword

AMP Incorporated, Compaq Computers, Sun Microsystems, and Vixel Corporation have created a design for a serial transceiver module. The module provides a single very small form factor for a wide variety of standard Fibre Channel connectors and transmission media. The module can be inserted in or removed from a host or switch chassis without powering off the receiving socket. Any copper and optical transmission technologies consistent with the form factor may be used.

AMP Incorporated, Compaq Computers, Sun Microsystems, and Vixel Corporation expect that this design will prove useful to the disk drive, computer system, networking, and communications industries and will make the design available to interested companies.

The document is considered stable and suitable as a design specification. The status of each section of the document is shown in table 1.

**Table 1: Status of document sections**

Chapter/ Annex	Title	Status
1	Scope	Stable, suitable for design specification
2	Applicable Documents	Stable, suitable for design specification
3	Introduction and Overview	Stable, suitable for design specification
4	Electronic Specification for All GBICs	Stable, suitable for design specification
5	Operational Description	Stable, suitable for design specification
6	Mechanical interface for all GBICs	Stable, suitable for design specification
7	Environmental Requirements for all GBICs	Stable, suitable for design specification
Annex A	Module definition 1 (copper DB-9)	Stable, suitable for design specification
Annex B	Module definition 2 (copper HSSDC)	Stable, suitable for design specification
Annex C	Module definition 3 (single mode laser)	Stable, suitable for design specification
Annex D	Module definition 4 (Serial Identification)	Stable, suitable for design specification
Annex E	Module definition 5 (short wave laser, FC)	Stable, suitable for design specification
Annex F	Module definition 6 (single mode laser, FC and Ethernet)	Stable, suitable for design specification
Annex G	Module definition 7 (short wave laser, FC and Ethernet)	Stable, suitable for design specification



# Gigabit Interface Converter (GBIC)

## 1 Scope

This document defines the electronic, electrical, and physical interfaces of a removable serial transceiver module designed to provide gigabaud capability for Fibre Channel (FC) and other protocols that use the same physical layer. The contents of this document represent a cooperative design effort among AMP, Inc., Compaq Computer Corporation, Sun Microsystems Computer Company, and Vixel Corporation.

## 2 Applicable Documents

Fibre Channel Physical and Signaling Interface (FC-PH), X3.230-1995  
 Fibre Channel Physical and Signaling Interface - 2 (FC-PH-2), X3T11/Project 901D/Rev 7.4, (September, 1996)  
 Fibre Channel Physical and Signaling Interface - 3 (FC-PH-3), X3T11/Project 1119/Rev 9.1, (October, 1996)  
 Fibre Channel Low Cost 10 km Optical 1063 MBaud Interface (100-SM-LC-L), NCITS T11.2 Project xxx, Revision 1.0, (December, 1997)  
 Fibre Channel - Jitter Methodologies, draft proposed Technical Report, Project 1230-DT, Revision 1.1  
 Safety of laser products - Part 1: Equipment classification requirements and user's guide, IEC 825-1  
 Supplement to Carrier Sense Multiple Access with Collision Detection (CSMA/CD)  
   "Access Method & Physical Layer Specifications:  
     Media Access Control (MAC) Parameters, Physical Layer, repeater and Management Parameters for 1000 Mb/s Operation", IEEE \*DRAFT\* P802.3z/D1, Clause 38.  
 Title 21, Code of Federal Regulations, Chapter I, Subchapter J (CDRH)

## 3 Introduction and overview


This document describes the Gigabit Interface Converter (GBIC). Although originally designed for Fibre Channel implementations using the Fibre Channel Arbitrated Loop (FC-AL), the design is practical for point-to-point Fibre Channel implementations and for other high performance serial technologies, including 1000 Mbit Ethernet. The body of the document describes the mechanical and electrical properties of the GBIC and its interface with the host board. Annexes provide technical details of individual implementations of the GBIC supporting a variety of high performance serial technologies, including:

100-M5-SN-I	100 Mbyte multi-mode short wave laser without OFC
100-SM-LC-L	100 Mbyte single-mode long-wave laser with 10 km range.
100-TW-EL-S	Style 1 intra-enclosure differential ECL
100-TW-EL-S	Style 2 intra-enclosure differential ECL

Since the GBIC is hot pluggable, a suitably designed enclosure could be changed from one type of external interface to another simply by plugging in a GBIC having the alternative external interface.

The form factor, connectorization, and functionality of the GBIC have been selected to allow the device to be produced for a very low cost. The connector structure has been selected to allow reliable operation at 1 Gbit/second. Testing at 2 Gbit/second and above has been performed and indicates that a data rate of 2.5 Gbit/second can be achieved with normal design care.

A block diagram of a typical 100-M5-SN-I GBIC is shown in figure 1.



**Figure 1: Functional diagram of typical shortwave laser GBIC**

### 3.1 Connection to external Fibre Channel

The external Fibre Channel connection is selected to be appropriate for the cable plant technology selected. The dimensions provided in this document describe a GBIC with a connector no larger than the Fibre Channel duplex SC connector. Note that certain connectors (notably the style 1 copper

connector) may extend outside the basic form factor and require that the host sockets for allowing such GBICs to have slightly greater spacing than the minimum required for smaller connectors.

### 3.2 Connection of GBIC to host enclosure

The connection of the GBIC to the circuit board in the host enclosure (the host board) is identical for all implementations, regardless of external media type. The mechanical form factor of the GBIC with reference to the host board is always the same. While not requiring a fixed form factor guide-rail or slot, common components are available that will suffice for most applications. Special socketing components can be built as required. Every GBIC will fit in a socket designed for any other GBIC.

The power interface includes 2 guide tabs integrated into the connector structure. The guide tabs shall be connected to circuit ground on both the host and GBIC. If the TGND and RGND pins are separated on the GBIC, one guide tab shall be connected to TGND and the other to RGND. The guide tabs shall engage before any of the connector pins. This harmlessly discharges any stray static charges and establishes a reference voltage for the voltage supplies that are sequenced later. The connector itself has two stages of contact sequencing, sequence stage 1 making contact before sequence 2 during insertion. Grounds and certain signals make contact in sequence stage 1. Power makes contact in stage 2.

Chassis grounds and external electromagnetic interference shields should not be attached to circuit ground.

The control interface provides controls for the transmitter, monitors for the transmitter and receiver, and identification information indicating the GBIC module definition. These signals are level compatible with TTL as shown in table 7.

The serial transfer interface uses 150 Ohm differential PECL signaling that is AC coupled.

The GBIC uses a 20-pin connector to the host circuit board. The pin assignments are shown in table 2.

**Table 2: GBIC to host connector pin assignment**

Pin Name	Pin #	Sequence	Sequence	Pin #	Pin Name
RX_LOS	1	2	1	11	RGND
RGND	2	2	1	12	-RX_DAT
RGND	3	2	1	13	+RX_DAT
MOD_DEF(0)	4	2	1	14	RGND
MOD_DEF(1)	5	2	2	15	V <sub>DDR</sub>
MOD_DEF(2)	6	2	2	16	V <sub>DDT</sub>
TX_DISABLE	7	2	1	17	TGND
TGND	8	2	1	18	+TX_DAT
TGND	9	2	1	19	-TX_DAT
TX_FAULT	10	2	1	20	TGND

### 3.3 Overview of internal interface signal functions

The electrical signals at the internal interface are defined in table 3.

**Table 3: Signal Definitions**

Pin Name	Pin #	Name/Function	Signal Specification
<b>RECEIVER SIGNALS</b>			
RGND	2, 3, 11, 14	Receiver Ground (may be connected with TGND in GBIC)	Ground, to GBIC
V <sub>DDR</sub>	15	Receiver +5 volt (may be connected with V <sub>DDT</sub> in GBIC)	Power, to GBIC
-RX_DAT	12	Receive Data, Differential PECL	High speed serial, from GBIC
+RX_DAT	13	Receive Data, Differential PECL	High speed serial, from GBIC
RX_LOS	1	Receiver Loss of Signal, logic high, open collector compatible, 4.7 K to 10 K Ohm pullup to V <sub>DDT</sub> on host	Low speed, from GBIC
<b>TRANSMITTER SIGNALS</b>			
TGND	8, 9, 17, 20	Transmitter Ground (may be connected with RGND internally)	Ground, to GBIC
V <sub>DDT</sub>	16	Transmitter +5 volt (may be connected with V <sub>DDR</sub> in GBIC)	Power, to GBIC
+TX_DAT	18	Transmit Data, Differential PECL	High speed serial, to GBIC
-TX_DAT	19	Transmit Data, Differential PECL	High speed serial, to GBIC
TX_DISABLE	7	Transmitter Disable, logic high, open collector compatible, 4.7 K to 10 K Ohm pullup to V <sub>DDT</sub> on GBIC	Low speed, to GBIC
TX_FAULT	10	Transmitter Fault, logic high, open collector compatible, 4.7 K to 10 K Ohm pullup to V <sub>DDT</sub> on host	Low speed, from GBIC
<b>CONTROL SIGNALS</b>			
MOD_DEF(0)	4	GBIC module definition and presence, bit 0, 4.7 K to 10 K Ohm pullup to V <sub>DDT</sub> on host	Low speed, from GBIC
MOD_DEF(1)	5	GBIC module definition and presence, bit 1, 4.7 K to 10 K Ohm pullup to V <sub>DDT</sub> on host	Low speed, from GBIC
MOD_DEF(2)	6	GBIC module definition and presence, bit 2, 4.7 K to 10 K Ohm pullup to V <sub>DDT</sub> on host	Low speed, from GBIC

## 4 Electronic Specification for all GBICs

The electronic interface between GBICs of all module definitions and the host enclosure socket is specified in this section.

### 4.1 Power

**Table 4: +5V Electrical Power Interface**

Parameter	Symbol	Min.	Nom.	Max.	Unit	Conditions (measured at host side of connector)
Maximum voltage	$V_{DDT}$ $V_{DDR}$			6	V	Laser safety circuit shall operate from 0 to this voltage.
Operating voltage	$V_{DDT}$ , $V_{DDR}$	4.75	5	5.25	V	Inclusive of ripple from 0 to 500 KHz.
Current	I			300	mA	Steady state, after $t_{init}$
Surge Current	$I_{surge}$			+30	mA	Hot plug, above actual steady state current

The electronic interface shall be designed to allow hot plugging into the host board without damage to the GBIC or the host board circuitry. Surge currents shall be limited using a built-in slow-start circuit and pin sequencing.

### 4.2 High speed serial interface electronic characteristics

The PECL transmitter and receiver characteristics have been selected so that passive circuitry can be used to meet the requirements of the intra-enclosure balanced differential interface specified in FC-PH-3. For the transmitter specifications a small margin is provided for the transfers of ECL signals between the internal point b (corresponding to the SCA-2 connector between the host and the GBIC) and the external point S (corresponding to the external connector between the GBIC and the transmission cables). For the receiver specifications, sufficient margin is provided to allow the GBIC to receive signals from a driver meeting the intra-enclosure specifications.

The specifications for the electrical signals transmitted to the GBIC from the host board for the high speed serial transmission circuit are shown in table 5.

**Table 5: Electrical signal interface from host board, high speed serial transmitter**

Parameter	Symbol	Min.	Max.	Unit	Conditions (measured at GBIC side of connector)
PECL amplitude	$V_i$	650	2000	mV	differential, pk-pk
Deterministic Jitter	$DJ_{\text{elec-xmt}}$		0.12	UI	pk-pk <sup>a</sup>
Total Jitter	$TJ_{\text{elec-xmt}}$		0.25	UI	pk-pk <sup>a</sup>
PECL rise/fall		100	350	ps	20 - 80%, differential
differential skew			20	ps	

a. DJ is defined as deterministic jitter, RJ as random jitter, and TJ as total jitter. For jitter definitions and testing procedures, see Fibre Channel - Jitter Methodologies, Technical Report. These values are informative. The latest revision of the appropriate standard should be checked for any changes.

For other details of eye pattern requirements for the transmitter, see FC-PH-3.

The specifications for the electrical signals received from the GBIC by the host board for the high speed serial receiver circuit are shown in table 6.

**Table 6: Electrical signal interface to host board, high speed serial receiver**

Parameter	Symbol	Min.	Max.	Unit	Conditions (measured at host side of connector)
PECL amplitude	$V_o$	370	2000	mV	differential, pk-pk
Deterministic Jitter	$DJ_{\text{elec-rcv}}$		0.36	UI	pk-pk <sup>b</sup>
Total Jitter <sup>a</sup>	$TJ_{\text{elec-rcv}}$		0.56	UI	pk-pk <sup>b</sup>
PECL skew			205	psec	

a. A host should tolerate up to 0.1 UI of additional jitter due to EMI and other noise effects.

b. DJ is defined as deterministic jitter, RJ as random jitter, and TJ as total jitter. For jitter definitions and testing procedures, see Fibre Channel - Jitter Methodologies, Technical Report. These values are informative. The latest revision of the appropriate standard should be checked for any changes

For other details of eye pattern requirements for the receiver, see FC-PH-3.

The specifications for the differential line characteristic impedance of a passive copper GBIC shall meet the requirements of FC-PH-3. The exception window of 800 psec should include both the GBIC to host connector and the GBIC external connector. FC-PH-3 specifies the maximum range of characteristic impedance in the exception window to be 100 to 200 ohms.

The specifications for the differential line characteristic impedance of a GBIC with active PECL circuitry shall meet the requirements of FC-PH-3. The exception window is restricted in length to the impedance discontinuities, if any, related to the GBIC internal connector.



Impedance measurements shall be made with a 100 psec (20-80%) time domain reflectometer (TDR) as specified in FC-PH-3.

### 4.3 Low Speed signals, electronic characteristics

**Table 7: Low speed control and sense signals, electronic characteristics**

Parameter	Symbol	Min.	Max.	Unit	Conditions
Output from GBIC	V <sub>OL</sub>	0.0	0.50	V	4.7K to 10K Ohms pullup to host_Vcc, measured at host side of connector
	V <sub>OH</sub>	host_Vcc - 0.5	host_Vcc + 0.3	V	
Input to GBIC	V <sub>IL</sub>	0	0.8	V	4.7K to 10K Ohms to V <sub>DDT</sub> , measured at GBIC side of connector
	V <sub>IH</sub>	2.0	V <sub>DDT</sub> + 0.3	V	


Note that host\_Vcc may be either + 5 volts or + 3.3 volts. Hosts that support the serial module definition protocol shall use a pullup resistor connected to a host\_Vcc of +5 volts (4.75 to 5.25 volts) on the MOD\_DEF\_1 (SCL) and MOD\_DEF\_2 (SDA) signals to assure proper operation of the serial EEPROMs.

The GBIC or host may provide a TTL LOW level for a signal that has a fixed value by grounding the signal.

Total load capacitance should not exceed 100 pF.

## 4.4 Termination

The following figure provides examples of termination circuits for the PECL drivers and receivers in the host and the GBIC.



**Figure 2: Termination Circuit Examples**

The impedance of the terminations shall comply with FC-PH-3. Source termination is recommended for PECL drivers.

Blocking capacitors shall be provided as shown in the circuit diagrams above. Blocking capacitors are desirable, but optional, in the host board PECL circuits.

## 4.5 Safety requirements

For GBICs providing external optical interfaces, the manufacturer shall ensure that the optical power emitted from an open connector or fiber is compliant with IEC825-1 and CDRH during initialization procedures, during error reset procedures, during normal operation, and in the event of any reasonable single fault condition.

Any electrical power provided to the external interface shall meet applicable safety regulations, including fusing requirements.

## 5 Operational Description

The following descriptions of GBIC operation apply to all module definitions of GBIC.

### 5.1 Overview of data transfer

The GBIC is driven from the host board with serial differential PECL signals applied to +TX\_DAT and -TX\_DAT. The signals may drive either a transmission conversion circuit providing a standard serial output or may directly drive an intra-enclosure connection compatible with FC-PH-3. The output from the transmission conversion circuit may optionally be disabled via the TX\_DISABLE pin. The TX\_FAULT pin indicates a failure has been detected in the transmission conversion circuit. If a safety fault occurs in the transmitter, the fault condition shall be latched and the output shall be controlled to a safe condition. The latch may be reset according to the protocol defined in clause 5.3.7. TX\_FAULT shall also indicate loss of +5V power at the transmit circuit or that some pins of the GBIC to host enclosure socket are not making contact or meeting their contact resistance specifications. Those two fault conditions are not latched.

The serial receiver detects the incoming signals and amplifies and converts them as required. Output from the GBIC to the host board consists of serial differential PECL data signals on +RX\_DAT and -RX\_DAT, compatible with the received signal from a copper intra-enclosure connection. A receiver loss of signal function on the RX\_LOS pin may optionally indicate that the incoming data signal amplitude is not acceptable to achieve the specified Bit Error Rate (BER). In addition, the RX\_LOS signal shall indicate loss of +5 volt power at the receiver circuit or that some pins of the GBIC to host enclosure socket are either not making contact or not meeting their contact resistance specifications. The PECL output signals may optionally be disabled when RX\_LOS is active. The circuitry receiving the RX\_DAT signals should not make use of the signals when the RX\_LOS signal is asserted, since the data value is not guaranteed to be stable in magnitude or frequency.

The annex for each module definition indicates which of the control and status signals, TX\_DISABLE, TX\_FAULT, and RX\_LOS, are mandatory.

### 5.2 GBIC module definition determination

The module definition of GBIC that is installed is indicated by the 3 module definition pins. The information about the external serial interface for each GBIC module definition is included in the appropriate annex.

The assigned values for the MOD\_DEF(0:2) bits are provided below.

**Table 8: MOD\_DEF(0:2)**

Module Definition	MOD_DEF(0) pin 4	MOD_DEF(1) pin 5	MOD_DEF(2) pin 6	Interpretation by host	Reference
0	NC	NC	NC	GBIC not present	clause 5.2
1	NC	NC	TTL LOW	Copper Style 1 or Style 2 connector, 1.0625 Gbd, 100-TW-EL-S or 100-TP-EL-S, active inter-enclosure connection. and IEEE802.3 1000BASE-CX	Annex A
2	NC	TTL LOW	NC	Copper Style 1 or Style 2 connector, 1.0625 Gbd, 100-TW-EL-S, or 100-TP-EL-S, active or passive intra-enclosure connection	Annex B
3	NC	TTL LOW	TTL LOW	Optical LW, 1.0625 Gbd 100-SM-LC-L	Annex C
4	TTL LOW	SCL	SDA	Serial module definition protocol	clause 5.2.1 Annex D
5	TTL LOW	NC	TTL LOW	Optical SW, 1.0625 Gbd 100-M5-SN-I or 100-M6-SN-I	Annex E
6	TTL LOW	TTL LOW	NC	Optical LW, 1.0625 Gbd 100-SM-LC-L and similar to 1.25 Gbd IEEE802.3z 1000BASE-LX, single mode	Annex F
7	TTL LOW	TTL LOW	TTL LOW	Optical SW, 1.0625 Gbd 100-M5-SN-I or 100-M6-SN-I and 1.25 Gbd, IEEE 802.3z, 1000BASE-SX	Annex G

The value NC indicates that the GBIC makes no connection to the pin.

### 5.2.1 Serial module definition protocol

Definition 4 specifies a serial definition protocol. For this definition, upon power up, the MOD\_DEF(1:2) shall appear as NC. If the host system detects definition number 4, the serial protocol may then be activated using MOD\_DEF(1:2). The protocol uses the 2-wire serial CMOS E<sup>2</sup>PROM protocol typical of the ATMEL AT24C01A/02/04/08/16 family of parts.

When the serial protocol is activated, the serial clock signal (SCL) is generated by the host. The positive edge clocks data into the GBIC into those segments of the E<sup>2</sup>PROM that are not write protected. The negative edge clocks data from the GBIC.

The serial data signal (SDA) is bidirectional for serial data transfer. The host uses SDA in conjunction with SCL to mark the start and end of serial protocol activation.

The data transfer protocol and the details of the mandatory and vendor specific data structures are defined in Annex D.

### 5.3 GBIC management algorithms

All GBICs, regardless of module definition, shall successfully operate if the management and error recovery protocols defined in the following clauses are used. Since some GBIC functions are not implemented for some module definitions, GBICs of some module definitions may not invoke certain recovery procedures or may appear to provide instantaneous responses to host actions.

#### 5.3.1 GBIC timing parameters

The following timing parameters (see table 9) are used in procedures defined in this section. Details that depend on the module definition are provided in the appropriate annexes.

**Table 9: Timing parameters for GBIC management**


Parameter	Symbol	Min.	Max.	Unit	Conditions
TX_DISABLE assert time	t_off		10	μsec	rising edge of TX_DISABLE to fall of output signal below 10% of nominal
TX_DISABLE negate time	t_on		1	msec	Falling edge of TX_DISABLE to rise of output signal above 90% of nominal
Time to initialize, includes reset of TX_FAULT	t_init		300	msec	From power on or hot plug after V <sub>DDT</sub> > 4.75 volts or From negation of TX_DISABLE during reset of TX_FAULT.
TX_FAULT from fault to assertion	t_fault		100	μsec	From occurrence of fault (output safety violation or V <sub>DDT</sub> < 4.5 volts)
TX_DISABLE time to start reset	t_reset	10		μsec	TX_DISABLE HIGH before TX_DISABLE set LOW
RX_LOS assert delay	t_loss_on		100	μsec	From detection of loss of signal to assertion of RX_LOS
RX_LOS negate delay	t_loss_off		100	μsec	From detection of presence of signal to negation of RX_LOS

#### 5.3.2 GBIC power on initialization procedure, TX\_DISABLE negated.

During power on of the GBIC, TX\_FAULT, if implemented, may be asserted (High) as soon as power supply voltages are within specification. For GBIC initialization with TX\_DISABLE negated, TX\_FAULT shall be negated when the transmitter safety circuitry, if implemented, has detected that the transmitter is operating in its normal state. If a transmitter fault has not occurred, TX\_FAULT shall be negated within a period  $t_{init}$  from the time that  $V_{DDT}$  exceeds the specified minimum operating voltage (see table 4). If TX\_FAULT remains asserted beyond the period  $t_{init}$ , the host may assume that a transmission fault has been detected by the GBIC.

If no transmitter safety circuitry is implemented, the TX\_FAULT signal may be tied to its negated state.

The power on initialization timing for a GBIC with TX\_DISABLE negated is shown in figure 3.




**Figure 3: Power on initialization of GBIC, TX\_DISABLE negated**

### 5.3.3 GBIC power on initialization procedure, TX\_DISABLE asserted.

For GBIC power on initialization with TX\_DISABLE asserted, the state of TX\_FAULT is not defined while TX\_DISABLE is asserted. After TX\_DISABLE is negated, TX\_FAULT may be asserted while safety circuit initialization is performed. TX\_FAULT shall be negated when the transmitter safety circuitry, if implemented, has detected that the transmitter is operating in its normal state. If a transmitter fault has not occurred, TX\_FAULT shall be negated within a period  $t_{init}$  from the time that TX\_DISABLE is negated. If TX\_FAULT remains asserted beyond the period  $t_{init}$ , the host may assume that a transmission fault has been detected by the GBIC.

If no transmitter safety circuitry is implemented, the TX\_FAULT signal may be tied to its negated state.

The power on initialization timing for a GBIC with TX\_DISABLE asserted is shown in figure 4.




**Figure 4: Power on initialization of GBIC, TX\_DISABLE asserted**

Note that the management of the transmit signal by TX\_DISABLE is not required for GBICs of some module definitions, so that the transmitted signal may appear while TX\_DISABLE is asserted.

### 5.3.4 Initialization during hot plugging of GBIC.

When a GBIC is not installed, TX\_FAULT is held to the asserted state by the pull up circuits on the host (see table 3). As the GBIC is installed, contact is made with the ground, voltage, and signal contacts in the specified order. After the GBIC has determined that  $V_{DDT}$  has reached the specified value, the power on initialization takes place as described in clause 5.3.2 and clause 5.3.3.

An example of initialization during hot plugging is provided in figure 5.




**Figure 5: Example of initialization during hot plugging, TX\_DISABLE negated.**

### 5.3.5 GBIC transmitter management

If implemented, the TX\_DISABLE may be asserted to disable the transmitter for diagnostic, configuration, or security purposes. Since control of the transmit signal by TX\_DISABLE is not

required for all module definitions, the software managing the GBIC transmitter must consider the MOD\_DEF value to determine how the interface will respond when TX\_DISABLE is asserted.


The timing requirements for the management of optical outputs from the GBIC using the TX\_DISABLE signal are shown in figure 6. Implementation of the TX\_DISABLE signal is required for module definitions that use TX\_DISABLE to clear a latched TX\_FAULT condition and is optional for other module definitions unless specifically required by the appropriate annex.



**Figure 6: Management of GBIC during normal operation, TX\_DISABLE implemented**

### 5.3.6 GBIC fault detection and presentation

TX\_FAULT shall be implemented by those module definitions of GBIC supporting safety circuitry. If TX\_FAULT is not implemented, the signal shall be held to the low state by the GBIC.




**Figure 7: Detection of transmitter safety fault condition**

### 5.3.7 GBIC fault recovery




The detection of a safety-related transmitter fault condition presented by TX\_FAULT shall be latched. The following protocol may be used to reset the latch in case the transmitter fault condition is transient.

To reset the fault condition and associated detection circuitry, TX\_DISABLE shall be asserted for a minimum of  $t_{\text{reset}}$ . TX\_DISABLE shall then be negated. In less than the maximum value of  $t_{\text{init}}$  the optical transmitter will correctly reinitialize the laser circuits, negate TX\_FAULT, and begin normal operation if the fault condition is no longer present. If a fault condition is detected during the reinitialization, TX\_FAULT shall again be asserted, the fault condition again latched, and the optical transmitter circuitry will again be disabled until the next time a reset protocol is attempted. The manufacturer of the GBIC shall ensure that the optical power emitted from an open connector or fiber is compliant with IEC825-1 and CDRH during all reset attempts, during normal operation or upon the occurrence of reasonable single fault conditions. The GBIC may require internal protective circuitry to prevent the frequent assertion of the TX\_DISABLE signal from generating frequent pulses of energy that violate the safety requirements. The timing for successful recovery from a transient safety fault condition is shown in figure 8.



**Figure 8: Successful recovery from transient safety fault condition**


An example of an unsuccessful recovery, where the fault condition was not transient, is shown in figure 9.



**Figure 9: Unsuccessful recovery from safety fault condition**

### 5.3.8 GBIC loss of signal indication

If RX\_LOS is not implemented on a GBIC, it shall be held to the low state by the GBIC. If the module definition of the GBIC is specified as implementing RX\_LOS, the timing is specified in figure 10.



**Figure 10: Timing of RX\_LOS detection**

## 6 Mechanical interface for all GBICs

A common mechanical outline is used for all GBICs. The outline of the GBIC is described in figure 11 and table 10.

**Table 10: Dimension table for drawing of GBIC**

Designator	Dimension (mm)	Tolerance (mm)	Comments
A	57.15	+0.25 -0.25	GBIC length from stop to end of connector
B	10.00	+0.10 -0.15	GBIC height- main body
C	12.01	+0.00 -0.15	GBIC height- overall
D	8.18	Reference	SC connector beyond stop
E	3.05	+0.00 -0.15	Latch arm height
F	30.48	+0.00 -0.15	GBIC width- main body
G	0.91	Basic	Center line of latch
H	33.91	Maximum	Latch release tabs, installed position
J	31.50	+0.00 -0.15	Latch arm and retention recess width, installed position
K	33.27	+0.10 -0.10	Latch retention detail width, installed position
	31.45	Maximum	Latch retention detail width, during compression while being inserted/removed
	35	Maximum	Latch retention detail width, uninstalled position
L	14.5	Maximum	Latch arm length
M	4.34	Maximum	Latch retention detail length
N	1.17	+0.10 -0.00	Retention detail to stop
P	0.40	Maximum	Retention recess to stop
Q	1.52	+0.10 -0.00	Guide slot height
R	3.05	Basic	Guide slot centerline
S	13.56	Maximum	Guide slot length - to stop
T	27.69	+0.15 -0.15	Guide slot width (depth)
U	5.08	Minimum	Chassis ground contact zone
V		Reference	





## 6.1 Insertion and removal

The requirements for insertion forces, extraction forces, and retention forces are specified in table 11.

**Table 11: Insertion, extraction, and retention forces**

Measurement	Minimum	Maximum	Units	Comments
GBIC insertion	0	20	newtons	(~4.5 lbs)
GBIC extraction	0	15	newtons	(~3.3 lbs)
GBIC retention	130	N/A	newtons	straight out (~29.3 lbs)
Insertion/removal cycles	100		cycles	

## 6.2 Labeling requirements

Color coding requirements for optical GBICs are specified in the appropriate annex.

Each GBIC should be clearly labeled. The complete labeling need not be visible when the GBIC is installed. Labeling should include appropriate manufacturing and part number identification, appropriate regulatory compliance labeling, and a clear specification of the external port characteristics. The external port characteristic label may include such information as optical wavelength, required fiber characteristics, operating data rate, interface standards supported, and link length supported.

## 6.3 Connector definition

The connector used by the GBIC is a 20-pin model of the AMP SCA-2 connector. The following AMP part numbers are given for reference purposes, but any licensed manufacturer of the connector may produce similar components.

Straddle mount male plug, placed on GBIC:

AMP 787643-1

Vertical receptacle, placed on backplane for connection of a GBIC perpendicular to surface of backplane.

AMP 787646-1

Right angle receptacle, placed on motherboard for connection of a GBIC parallel to surface of backplane as a daughter board.

AMP 787653-1

GBIC guide systems are presently being used by many applications. It is expected that those guide systems will be offered by a number of vendors. The following AMP part numbers are given for reference purposes.

GBIC guide system for PCB with thickness 0.062 +/- .008 inches

AMP 787663-1

GBIC guide system for PCB with thickness 0.100 +/- .008 inches

AMP 787663-2

A reference drawing describing the GBIC plug is provided in table 12 and figure 13.


- ① INTERNAL CLEARANCE FOR MATING CONNECTOR
- ② MEASURED AT A20 DIMENSION.
- ③ DISTANCE MEASURED ACROSS CONTACT MATING SURFACES ALONG EFFECTIVE MATING AREA
- ④ CONTACT MUST BE ABOVE PLASTIC ALONG EFFECTIVE MATING AREA.
- ⑤ 0.75MM MIN PLASTIC LEAD-IN PRIOR TO INITIAL POINT OF CONTACT (SIGNAL)  
A2±A22 THICKNESS REQUIRED FOR PRE-DEFLECTION OF RECEPTACLE CONTACTS

20 POSITION		
P1 = POSITION 1	P3 = POSITION 11	
P2 = POSITION 10	P4 = POSITION 20	
DIMENSION	MILLIMETERS	INCHES
A1	13.07	.515
A2	1.60	.063
A3	0.10	.004
A4	1.80 R	.071 R
A5	15°	15°
A6	19.77	.778
A7	9.885	.389
A8	17.17	.676
A9	8.585	.338
A10	0.20	.008
A11	1.00 R	.039 R
A12	7.00	.276
A13	5.325	.210
A14	3.50	.138
A15	2.663	.105
A16	1.27	.050
A17	5.715	.225
A18	2.00	.079
A19	0.60 MIN	.024 MIN
A20	6.50 MIN	.256 MIN
A21	0.10	.004
A22	0.08	.003
A23	27.28	1.074
A24	24.18	.952
A25	1.905	.075
A26	4.00	.157
A27	27.38	1.078
A28	1.85	.073
A29	0.90	.035
A30	5.00	.197
A31	0.28	.011
A32	0.24	.009
A33	0.25	.010
A34	1.35	.053
A35	0.05	.002
A36	0.80	.031
A37	0.15	.006
A38	0.13	.005

**Table 12: Value of dimensions for GBIC plug reference drawing**



# Giga-bit Interface Converter



**Figure 13: Reference drawing for GBIC plug**

A reference drawing describing the GBIC receptacle is provided in table 13 and figure 14.



①	CONTACT GAP WILL ACCOMMODATE MATING CONNECTOR OF A13±A16.		
②	INTERNAL CLEARANCE FOR MATING CONNECTOR		
③	SEQUENCED (FIRST MATE) CONTACT		
④	SEQUENCED (SECOND MATE) CONTACT		
⑤	EXTERNAL CLEARANCE FOR MATING CONNECTOR		
⑥	EFFECTIVE WIDTH OF THE POINT OF CONTACT ZONE		


20 POSITION		
P1 = POSITION 1	P3 = POSITION 11	
P2 = POSITION 10	P4 = POSITION 20	
DIMENSION	MILLIMETERS	INCHES
A1	13.33	.525
A2	1.90	.075
A3	1.00 R	.039 R
A4	5.05	.199
A5	2.525	.0995
A6	15°	15°
A7	16.97	.668
A8	8.485	.334
A9	5.715	.225
A10	1.27	.050
A11	0.10	.004
A12	1.98	.078
A13	1.60	.063
A14	5.70	.224
A15	0.05	.002
A16	0.08	.003
A17	13.24	.521
A18	0.98	.039
A19	5.30	.209
A20	27.68	1.090
A21	1.45	.057
A22	2.20	.087
A23	0.40	.016
A24	0.28	.011
A25	0.15	.006
A26	0.95	.037
A27	0.15	.006
A28	2.48	.098
A29	0.35 MIN	.014 MIN
A30	6.50 MIN	.256 MIN
A31	0.30	.012

**Table 13: Value of dimensions for GBIC receptacle reference drawing**

## Giga-bit Interface Converter



DETAIL A  
SCALE 2:1



SECTION B-B

**Figure 14: Reference drawing for GBIC receptacle**

## **7 Environmental Requirements for all GBICs**

The environmental requirements for all GBICs are specified in this section. All GBICs should meet their mechanical, electronic, optical, and timing specifications for all specified environments.

### **7.1 Temperature**

The specifications shall apply for operating temperatures from 0 to 50°C in moving air. More or less restrictive temperature ranges may be specified as required. Cooling shall be provided as appropriate.

## Annex A: Module definition “1” GBIC (copper inter-enclosure) (normative annex)

### A.1 Overview of module definition 1 GBIC

A GBIC having module definition 1 presents a standard copper interface having the same characteristics as the Fibre Channel 100-TP-EL-S and 100-TW-EL-S inter-enclosure interface using the style 1 or style 2 balanced cable connector. This GBIC is also compatible with the Gigabit Ethernet definition IEEE802.3, 1000BASE-CX. The transmitter and receiver specifications for the inter-enclosure interface will usually require additional electronic buffering to adapt the PECL signals available on the host side of the GBIC to the inter-enclosure requirements. The copper transmitter and receiver specification is defined by FC-PH-3. An overview of the copper Fibre Channel characteristics is provided in table A.1.

**Table A.1: Overview, module definition 1 GBIC**

Parameter	Value
Application	Fibre Channel, 100-TW-EL-S or 100-TP-EL-S, style 1 or 2 balanced connector, intra-enclosure and 1.25 Gbd IEEE802.3z, 1000BASE-CX
Distance, 100-XX-EL-S	TP cable, 0 - 28 meters TW cable, 0 - 33 meters
Data Rate	1062.5 Mbaud +/- 100 ppm (100-TW-EL-S) 1062.5 Mbaud +/- 100 ppm (100-TP-EL-S) 1.25 Gbd IEEE802.3z, 1000BASE-CX
Data Format	8B/10B
Link Characteristic Impedance	150 +/- 10 Ohms
Transmitted signal	1100 - 2000 mv, differential PECL (inter-enclosure)
Received signal	400 - 2000 mv, differential PECL

The GBIC to host connection is modified for use with the inter-enclosure balanced cable GBIC.

The signals provided to the host by the GBIC are defined in table A.2.

**Table A.2: GBIC pin usage, style 1 or style 2 balanced cable connectors,**

Pin Name	Pin #	Description	Pin Name	Pin #	Description
RX_LOS	1	Receiver Loss of Signal	RGND	11	GND
RGND	2	GND	-RX_DAT	12	- RX, ext. connector
RGND	3	GND	+RX_DAT	13	+ RX, ext. connector
MOD_DEF(0)	4	NC	RGND	14	GND
MOD_DEF(1)	5	NC	V <sub>DDR</sub> R	15	V <sub>DDR</sub> or NC
MOD_DEF(2)	6	TTL LOW from GBIC	V <sub>DD</sub> T	16	V <sub>DD</sub> T
TX_DISABLE	7	Transmitter Disable	TGND	17	GND
TGND	8	GND	+TX_DAT	18	+ TX, ext. connector
TGND	9	GND	-TX_DAT	19	- TX, ext. connector
TX_FAULT	10	TTL LOW or Transmit Fault from GBIC	TGND	20	GND
* Signals may optionally be implemented as specified in 3.3.					

## A.2 Operation

The protocols and timing specified in clause 5 shall be used by module definition 1 GBICs.

A GBIC having a MOD\_DEF of 1 shall implement the RX\_LOS and TX\_DISABLE signals. The GBIC may fix the TX\_FAULT signal at a TTL LOW level. As a result of tying the TX\_FAULT to the negated level, the GBIC behaves as if the t\_init period is very short and as if no transmitter faults ever occur.

The signal levels and signal quality shall meet the requirements of FC-PH-3. The protocols and timing specified in clause 5 shall be used.

Additional information is shown in table A.3.

**Table A.3: RX\_LOS detection**

Parameter	Symbol	Min.	Max.	Unit	Conditions
RX_LOS negate threshold level		100	400	mv	Differential peak to peak tested with 531 MHz square wave signal.
RX_LOS hysteresis		50		mv	No chattering

### A.3 External Connector Definition

The external connector shall be the style 1 or style 2 balanced cable connector defined by FC-PH-3.

Table A.4 defines the pin assignments for style 1 balanced cable connectors.

**Table A.4: Pin assignment for style 1 balanced cable connector**

Pin Name	Pin #
+ TX	1
No connection	2
No connection	3
No connection	4
+ RX	5
- TX	6
No connection	7
No connection	8
- RX	9

Table A.5 defines the pin assignments for style 2 balanced cable connectors.

**Table A.5: Pin assignment for style 2 balanced cable connector**

Pin Name	Pin #
+ TX	1
No connection	2
- TX	3
No connection	4
No connection	5
- RX	6
No connection	7
+ RX	8

### A.4 Special considerations

The style 1 connector may project beyond the standard GBIC form factor. Host slots may require additional spacing to facilitate removal of GBICS having module definition of 1.





## Annex B: Module definition ‘2’ GBIC (copper intra-enclosure) (normative annex)

### B.1 Overview of module definition 2 GBIC

A GBIC having module definition 2 presents a standard copper interface having the same characteristics as the Fibre Channel 100-TP-EL-S or 100-TW-EL-S intra-enclosure interface using the style 1 or style 2 balanced cable connector. The GBIC is not compliant with the Gigabit Ethernet definition IEEE802.3, 1000BASE-CX, but should operate on short cables that do not require the higher signals of the inter-enclosure transmitters. The PECL transmitter and receiver specifications (see 4.2) have been selected so that a MOD\_DEF 2 GBIC may use passive circuitry to pass the signals to the GBIC’s interface with the host. Additional functionality can be provided by using active circuitry. The copper transmitter and receiver specification is defined by FC-PH-3. An overview of the copper Fibre Channel characteristics is provided in table B.1.

**Table B.1: Overview, module definition 2 GBIC**

Parameter	Value
Application	Fibre Channel, 100-TW-EL-S or 100-TP-EL-S, Style 2 balanced connector, intra-enclosure
Distance, 100-TW-EL-S	0 - 13 meters
Data Rate	1062.5 Mbaud +/- 100 ppm (100-TW-EL-S) 1062.5 Mbaud +/- 100 ppm (100-TP-EL-S) 1.25 Gbd IEEE802.3z, 1000BASE-CX
Data Format	8B/10B
Link Characteristic Impedance	150 +/- 10 Ohms
Transmitted signal	600 - 2000 mv, differential PECL (note maximum is higher than standard intra-enclosure connections)
Received signal	400 - 2000 mv, differential PECL (note maximum is higher than standard intra-enclosure connection)

The GBIC to host connection is modified for use with the intra-enclosure balanced cable GBIC. The signals provided to the host by GBIC are defined in table B.2.

**Table B.2: GBIC pin usage for style 1 and style 2 balanced cable connectors**

Pin Name	Pin #	Description	Pin Name	Pin #	Description
RX_LOS	1	TTL LOW from GBIC*	RGND	11	GND
RGND	2	GND	-RX_DAT	12	- RX, ext. connector
RGND	3	GND	+RX_DAT	13	+ RX, ext. connector
MOD_DEF(0)	4	NC	RGND	14	GND
MOD_DEF(1)	5	TTL LOW from GBIC	V <sub>DD</sub> R	15	V <sub>DD</sub> R or NC
MOD_DEF(2)	6	NC	V <sub>DD</sub> T	16	V <sub>DD</sub> T
TX_DISABLE	7	Pull-up on GBIC*	TGND	17	GND
TGND	8	GND	+TX_DAT	18	+ TX, ext. connector
TGND	9	GND	-TX_DAT	19	- TX, ext. connector
TX_FAULT	10	TTL LOW from GBIC*	TGND	20	GND
* Signals may optionally be implemented as specified in 3.3.					

## B.2 Initialization and error management

The protocols and timing specified in clause 5 shall be used by module definition 2 GBICs.

A passive GBIC having a MOD\_DEF of 2 shall fix the TX\_FAULT and the RX\_LOS signals at a TTL LOW level. As a result of tying the TX\_FAULT to the negated level, the GBIC behaves as if the t<sub>init</sub> period is very short and as if no transmitter faults ever occur. As a result of tying the RX\_LOS signal to the negated level, the GBIC behaves as if no receiver faults or loss of signal occur. The host shall be responsible for determining that a signal is not being received. The GBIC shall ignore the state of the TX\_DISABLE signal.

A GBIC having a MOD\_DEF of 2 may use active circuits to implement TX\_FAULT, TX\_DISABLE, and/or RX\_LOS. The signal levels and signal quality shall meet the requirements of FC-PH and shall be interoperable with a passive GBIC. The protocols and timing specified in clause 5 shall be used by active GBICs. Note that a disabled transmitter may not guarantee the receipt of RX\_LOS, since no RX\_LOS signal levels are specified for GBICs having a MOD\_DEF of 2..

## B.3 External Connector Definition

The external connector shall be the style 1 or style 2 balanced cable connector defined by FC-PH-3.

Table B.3 defines the pin assignments for style 1 balanced cable connectors.

**Table B.3: Pin assignment for style 1 balanced cable connector**

Pin Name	Pin #
+ TX	1
No connection	2
No connection	3
No connection	4
+ RX	5
- TX	6
No connection	7
No connection	8
- RX	9

Table B.4 defines the pin assignments for style 2 balanced cable connectors.

**Table B.4: Pin assignment for style 2 balanced cable connector**

Pin Name	Pin #
+ TX	1
No connection	2
- TX	3
No connection	4
No connection	5
- RX	6
No connection	7
+ RX	8

## B.4 Special considerations

The style 1 connector may project beyond the standard GBIC form factor. Host slots may require additional spacing to facilitate removal of GBICS having module definition of 1.



## Annex C: Module definition “3” GBIC (single mode laser)

### (normative annex)

#### C.1 Overview of module definition 3 GBIC

A GBIC having module definition 3 presents the 100-SM-LC-L interface as defined in revision 1.0 of the Fibre Channel Low Cost 10 km Optical 1063 Mbaud Interface document. The characteristics are summarized in table C.1.

**Table C.1: Overview, module definition 3 GBIC**

Parameter	Value
Application	Fibre Channel single-mode transceiver, 100-SM-LC-L
Distance	2 meters to 10 kilometers
Data Rate	1062.5 Mbaud +/- 100 ppm
Data Format	8B/10B
Fiber Type	9 µm core, single mode, 1310 nm, < 0.45 db/km loss
Nominal link budget	7.8 dB, including all connectors, splices, cable
Transmitter	Laser
Spectral center	see 100-SM-LC-L standard
Spectral width, RMS	see 100-SM-LC-L standard
Transmitter, launched power	non-OFC, see 100-SM-LC-L standard
Extinction ratio	9 dB minimum
RIN <sub>12</sub>	-116 dB/Hz
Received power	-20 dBm to -3 dBm average power. as specified by 100-SM-LC-L standard.
Power penalties	see 100-SM-LC-L standard
Receiver return loss	12 dB minimum
Laser safety features	Transmit power level management with laser overdrive protection circuit.

The standard GBIC pinout and pin definitions shall be used.

#### C.2 Optical transmitter power

The optical power launched by the transmitter is a function of the wavelength deviation from the zero dispersion value of the fiber and the spectral width of the source laser as specified by the 100-SM-LC-L standard.

### C.3 Optical signal definitions

The relationship between the states of the transmitter, receiver, and the received optical power is shown in table C.2.

**Table C.2: Relationship between electrical signal polarity and optical power**

Signal state	+TX_DAT	-TX_DAT	Optical Power	+RX_DAT	-RX_DAT
“1”	HIGH	LOW	HIGH	HIGH	LOW
“0”	LOW	HIGH	LOW	LOW	HIGH

For electrical signals “LOW” is a less positive (more negative) signal than the “HIGH” signal in the same differential pair. For the optical power signal, “LOW” is the minimum optical power state, corresponding to minimum drive to the laser, while “HIGH” is the maximum optical power state, corresponding to maximum laser drive.

### C.4 Optical transceiver timing

The optical transceiver interface is defined by the 100-SM-LC-L standards document. Additional information is shown in table C.3.

**Table C.3: Optical Transceiver Interface**

Parameter	Symbol	Min.	Max.	Unit	Conditions
Optical Output, TX_DISABLE asserted	P <sub>off</sub>		-35	dBm	Into fiber, average, steady state
RX_LOS negate threshold level		-31	-20	dBm	average power
RX_LOS hysteresis		1	4	dB	No chattering

### C.5 Initialization and error management

The protocols and timing specified in clause 5 shall be used by module definition 3 GBICs. The TX\_DISABLE, TX\_FAULT, and RX\_LOS signals shall be implemented and operate with the specified protocols.

### C.6 External connector definition and color coding

The external optical connector shall be the duplex SC connector defined by FC-PH. Exposed surfaces of the external SC connector and/or retention mechanism shall be blue to indicate that only single-mode fiber should be connected to this GBIC.

### C.7 Recommended external plug color coding

For compliance with international standards and to simplify error free configuration of systems, fibre optic plugs that are used with this GBIC should have blue exposed connector surfaces to indicate that the fibre optic cable is a single-mode cable. Overmolding of the connector is not

required to be color coded, but the plug should be clearly identified as single mode by appropriate additional labeling or color coding.





## **Annex D: Module definition “4” GBIC (Serial Identification)**

### **(normative annex)**

#### **D.1 Overview of module definition 4 GBIC**

A GBIC having module definition 4 provides access to sophisticated identification information that describes the GBIC’s capabilities, standard interfaces, manufacturer, and other information. The serial interface uses the 2-wire serial CMOS E<sup>2</sup>PROM protocol defined for the ATMEL AT24C01A/02/04 family of components (see 5.2.1). The memories are organized as a series of 8-bit data words that can be addressed individually or sequentially.

This annex defines the information structures that are obtained from the GBIC.

#### **D.2 Serial information definition**

The 2-wire serial CMOS E<sup>2</sup>PROM provides sequential or random access to 8 bit parameters, addressed from 0000h to the maximum address of the memory. All numeric values in the information fields are big-endian binary values. All character strings are ordered with the first character to be displayed located in the lowest address of the memory space. All character strings will be padded on the right with ASCII spaces (20h) to fill empty bytes. A minimum of 96 bytes shall be readable by the serial identification process.

The maximum clock rate of the serial interface shall be 100 KHz.

The following tables define the contents of the serial CMOS E<sup>2</sup>PROM. The first table is a summary of all the data fields in the serial ID chip. The remaining tables contain detailed descriptions of the individual data fields.

**Table D.1: Serial ID: Data Fields**

Data Address	Field Size (Bytes)	Name of field	Description of field
<b>BASE ID FIELDS</b>			
0	1	Identifier	Type of serial transceiver (see table D.2)
1	1	Reserved	
2	1	Connector	Code for connector type (see table D.3)
3-10	8	Transceiver	Code for electronic compatibility or optical compatibility (see table D.4)
11	1	Encoding	Code for serial encoding algorithm (see table D.5)
12	1	BR, Nominal	Nominal baud rate, units of 100 MHz
13-14	2	Reserved	
15	1	Length (9μ)	Link length supported for 9/125 μm fiber, units of 100 m
16	1	Length (50μ)	Link length supported for 50/125 μm fiber, units of 10 m
17	1	Length (62.5μ)	Link length supported for 62.5/125 μm fiber, units of 10 m
18	1	Length (Copper)	Link length supported for copper, units of meters
19	1	Reserved	
20-35	16	Vendor name	GBIC vendor name (ASCII)
36	1	Reserved	
37-39	3	Vendor OUI	GBIC vendor IEEE company ID
40-55	16	Vendor PN	Part number provided by GBIC vendor (ASCII)
56-59	4	Vendor rev	Revision level for part number provided by vendor (ASCII)
60-62	4	Reserved	
63	1	CC_BASE	Check code for Base ID Fields (addresses 0 to 62)
<b>EXTENDED ID FIELDS</b>			
64-65	2	Options	Indicates which optional GBIC signals are implemented (see table D.6)
66	1	BR, max	Upper baud rate margin, units of %
67	1	BR, min	Lower baud rate margin, units of %
68-83	16	Vendor SN	Serial number provided by vendor (ASCII)
84-91	8	Date code	Vendor's manufacturing date code (see table D.7)
92-94	4	Reserved	
95	1	CC_EXT	Check code for the Extended ID Fields (addresses 64 to 94)
<b>VENDOR SPECIFIC ID FIELDS</b>			
96-127	32	Readable	Vendor specific data, read only

## Identifier

The identifier value specifies the physical device described by the serial information. This value shall be included in the serial data. The defined identifier values are shown in table D.2.

**Table D.2: Identifier values**

Value	Description of physical device
00h	Unknown or unspecified
01h	GBIC
02h	Module/connector soldered to motherboard
03-7Fh	Reserved
80-FFh	Vendor specific

## Connector

The Connector value indicates the external connector provided on the interface. This value shall be included in the serial data. The defined connector values are shown in table D.3.

**Table D.3: Connector values**

Value	Description of connector
00h	Unknown or unspecified
01h	Fibre Channel definition of SC connector
02h	Fibre Channel definition of style 1 copper connector
03h	Fibre Channel definition of style 2 copper connector
04h	Fibre Channel definition of BNC/TNC
05h	Fibre Channel definition of coaxial headers
06-7Fh	Reserved
80-FFh	Vendor specific

## Transceiver

The following bit significant indicators define the electronic or optical interfaces that are supported by the GBIC. At least one bit shall be set in this field. For Fibre Channel GBICs, the Fibre Channel speed, transmission media, transmitter technology, and distance capability shall all be indicated.

**Table D.4: Transceiver codes**

Bit Position (0-31)	Description of transceiver	Bit Position (32-63)	Description of transceiver
Fibre Channel speed (Bits 0-8)		Gigabit Ethernet Compliance Codes (Bits 32 - 39)	
0	100 MBytes/Sec	32	1000BASE-SX
1	Reserved	33	1000BASE-LX
2	200 MBytes./Sec	34	1000BASE-CX
3	Reserved	35	1000BASE-T
4	400 MBytes/Sec	36-39	Reserved
5-7	Reserved		
Fibre Channel transmission media (Bits 8-19)		SONET Compliance Codes (Bits 40 - 47)	
8	Single Mode (SM)	40	OC 3, multi-mode short reach
9	Reserved	41	OC 3, single mode intermediate reach
10	Multi-mode, 50 $\mu$ (M5)	42	OC 3, single mode long reach
11	Multi-mode, 62.5 $\mu$ (M6)	43	Reserved
12	Video Coax (TV)	44	OC 12 multi-mode short reach
13	Miniature Coax (MI)	45	OC 12, single mode intermediate reach
14	Shielded Twisted Pair (TP)	46	OC 12, single mode long reach
15	Twin Axial Pair (TW)	47	Reserved
16 - 19	Reserved		
Fibre Channel transmitter technology (Bits 20-27)		Reserved Standard Compliance Codes (Bits 48 - 63)	
20	Longwave laser (LL)	48-63	Reserved
21	Shortwave laser w/ OFC (SL)		
22	Shortwave laser w/o OFC (SN)		
23	Electrical intra-enclosure (EL)		
24	Electrical inter-enclosure (EL)		
25 - 27	Reserved		
Fibre Channel link length (Bits 28-31)			
28	long distance (L)		
29	intermediate distance (I)		
30	short distance (S)		
31	Reserved		

## Encoding

The encoding value indicates the serial encoding mechanism that is the nominal design target of the particular GBIC. The value shall be contained in the serial data. The defined encoding values are shown in table D.5.

**Table D.5: Encoding codes**

code	Description of encoding mechanism
0	Unspecified
1	8B10B
2	4B5B
3	NRZ
4	Manchester
5-256	Reserved

## BR, nominal

The nominal baud rate (BR, nominal) is specified in units of 100 Megabaud per second, rounded off to the nearest 100 Megabaud per second. A value of 0 indicates that the baud rate is not specified and must be determined from the transceiver technology.

## Length (9μ)

This value specifies the link length that is supported by the GBIC while operating in compliance with the applicable standards using single mode fiber. The value is in units of 100 meters. A value of 255 means that the GBIC supports a link length greater than 25.4 km. A value of zero means that the GBIC does not support single mode fiber or that the length information must be determined from the transceiver technology.

## Length (50μ)

This value specifies the link length that is supported by the GBIC while operating in compliance with the applicable standards using 50 micron multi-mode fiber. The value is in units of 10 meters. A value of 255 means that the GBIC supports a link length greater than 2.54 km. A value of zero means that the GBIC does not support 50 micron multi-mode fiber or that the length information must be determined from the transceiver technology.

## Length (62.5μ)

This value specifies the link length that is supported by the GBIC while operating in compliance with the applicable standards using 62.5 micron multi-mode fiber. The value is in units of 10 meters. A value of 255 means that the GBIC supports a link length greater than 2.54 km. A value of zero means that the GBIC does not 62.5 micron multi-mode fiber or that the length information must



## Options

The bits in the option field shall specify the options implemented in the GBIC as described in table D.6.

**Table D.6: Option values**

bit	Description of option
0	Reserved
1	Loss of Signal implemented, signal as defined in 3.3
2	Loss of Signal implemented, signal inverted from definition in 3.3 NOTE: This is not standard GBIC behavior and should be avoided, since non-interoperable behavior results.
3	TX_FAULT signal implemented. (Reset as defined in 5.3)
4	TX_DISABLE is implemented and disables the serial output.
5 - 15	Reserved for future use

## BR, max

The upper baud rate limit at which the GBIC will still meet its specifications (BR, max) is specified in units of 1% above the nominal baud rate. A value of zero indicates that this field is not specified.

## BR, min

The lower data rate limit at which the GBIC will still meet its specifications (BR, min) is specified in units of 1% below the nominal data rate. A value of zero indicates that this field is not specified.

## Vendor SN

The vendor serial number (vendor SN) is a 16-byte field that contains ASCII characters, left-aligned and padded on the right with ASCII spaces (20h), defining the vendor's serial number for the GBIC. A value of all zero in the 16-byte field indicates that the vendor PN is unspecified.

## Date Code

The date code is an 8-byte field that contains the vendor's date code in ASCII characters. The date code is mandatory. The date code shall be in the format specified by table D.7.

**Table D.7: Date Code**

Data Address	Description of field
84-85	ASCII code, two low order digits of year. (00 = 2000).
86-87	ASCII code, digits of month (01 = Jan through 12 = Dec)
88-89	ASCII code, day of month (01 - 31)
90-91	ASCII code, vendor specific lot code

**CC\_EXT**

The check code is a one byte code that can be used to verify that the first 32 bytes of extended serial information in the GBIC is valid. The check code shall be the low order 8 bits of the sum of the contents of all the bytes from byte 64 to byte 94, inclusive.

**Readable**

This area may contain vendor specific information which can be read from the GBIC.

**D.3 Color coding of optical connectors**

If the transceiver code (data addresses 3-10, bits 8, 10, 11, or 33) specifies a single mode medium, exposed surfaces of the external connector and/or retention mechanism shall be blue to indicate that single-mode fiber should be connected to this GBIC.

If the transceiver code (data addresses 3-10, bits 10, 11, or 32) specifies a multi-mode medium, exposed surfaces of the external connector and/or retention mechanism shall be beige or black to indicate that multi-mode fiber should be connected to this GBIC.

If conflicting values are specified, the transceiver shall have the color for the most appropriate transceiver code.

**D.4 Recommended external plug color coding**

For compliance with international standards and to simplify error free configuration of systems, fibre optic plugs that are used with this GBIC's receptacle should have exposed connector surfaces of the proper color to indicate that the fibre is single-mode or multi-mode. Overmolding of the connector is not required to be color coded, but the plug should be clearly identified as the proper mode by appropriate additional labeling or color coding.



## Annex E: Module definition “5” GBIC (shortwave laser)

### (normative annex)

#### E.1 Overview of module definition 5 GBIC

A GBIC having module definition 5 presents a standard optical interface compatible with the Fibre Channel 100-M5-SN-I and 100-M6-SN-I interfaces. Those characteristics are summarized in table E.1.

**Table E.1: Overview, module definition 5 GBIC**

Parameter	Value
Application	Fibre Channel, 100-M5-SN- I or 100-M6-SN-I, no OFC or compatible physical interface
Distance	500 meters maximum using 50 micron fiber. 300 meters maximum using 62.5 micron fiber.
Data Rate	1062.5 Mbaud +/- 100 ppm
Data Format	8B/10B
Fiber Type	50 µm or 62.5 µm, multimode
Wavelength	770-860 nm
Minimum Power into Fiber	-10 dBm average
Worst Case Receiver Sensitivity	-16 dBm average power. BER shall be $<10^{-12}$ when the data is sampled across a +/- 10% UI window centered in the receiver eye.
Laser safety features	Transmit power level management with laser overdrive protection circuit.

The standard GBIC pinout and pin definitions shall be used.

#### E.2 Optical signal definitions

The relationship between the states of the transmitter, receiver, and the received optical power is shown in table E.2.

**Table E.2: Relationship between electrical signal polarity and optical power**

Signal state	+TX_DAT	-TX_DAT	Optical Power	+RX_DAT	-RX_DAT
“1”	HIGH	LOW	HIGH	HIGH	LOW
“0”	LOW	HIGH	LOW	LOW	HIGH

For electrical signals “LOW” is a less positive (more negative) signal than the “HIGH” signal in the same differential pair. For the optical power signal, “LOW” is the minimum optical power state, corresponding to minimum drive to the laser, while “HIGH” is the maximum optical power state, corresponding to maximum laser drive.

### E.3 Optical transceiver

The optical transceiver interface is defined by FC-PH-2. Additional information is shown in table E.3.

**Table E.3: Optical Transceiver Interface**

Parameter	Symbol	Min.	Max.	Unit	Conditions
Optical Output, TX_DISABLE asserted	P <sub>off</sub>		-35	dBm	Into fiber, average, steady state
RX_LOS negate threshold level		-31	-16	dBm	average power
RX_LOS hysteresis		1	4	dB	No chattering

### E.4 Initialization and error management

The protocols and timing specified in clause 5 shall be used by module definition 5 GBICs. The TX\_DISABLE, TX\_FAULT, and RX\_LOS signals shall be implemented and operate with the specified protocols.

### E.5 External connector definition and color coding

The external optical connector shall be the duplex SC connector defined by FC-PH. Exposed surfaces of the external SC connector and/or retention mechanism shall be beige or black to indicate that only multi-mode fiber should be connected to this GBIC.

### E.6 Recommended external plug color coding

For compliance with international standards and to simplify error free configuration of systems, fibre optic plugs that are used with this GBIC should have beige or black exposed connector surfaces to indicate that the fibre optic cable is a multi-mode cable. Overmolding of the connector is not required to be color coded, but the plug should be clearly identified as multi-mode by appropriate additional labeling or color coding.

## **Annex F: Module definition “6” GBIC (single mode laser)**

### **(normative annex)**

#### **F.1 Overview of module definition 6 GBIC**

A GBIC having module definition 6 presents a standard optical interface that is fully compliant with the Fibre Channel 100-SM-LC-L interface. When used as a Fibre Channel interface, a compliant GBIC shall interoperate with GBICs having a module definition of 3 or 6.

The GBIC will also operate on single mode fibers transmitting the IEEE 802.3 Gigabit Ethernet signals over a 10 kilometer distance. While this GBIC operates at 1.25 GBd and is compatible with the electrical and jitter specifications for operation with IEEE 802.3z compliant hardware, it is not compliant with the 1000BASE-LX specification. Interoperability between this specification and 1000BASE-LX may be possible under carefully restricted circumstances

The present characteristics are summarized in table F.1.

**Table F.1: Overview, module definition 6 GBIC**


Parameter	Value
Application	Fibre Channel single-mode transceiver, 100-SM-LC-L and 10 km IEEE802.3 Gigabit Ethernet similar to 1000BASE-LX, but modified for longer distance.
Distance	2 meters to 10 kilometers
Data Rate	1062.5 Mbaud +/- 100 ppm and 1250 Mbaud
Data Format	8B/10B
Fiber Type	9 $\mu$ m core, single mode, 1310 nm, < 0.45 db/km loss
Nominal link budget	7.8 dB, including all connectors, splices, cable
Transmitter	Laser
Spectral center	from Figure F.1
Spectral width, RMS	from Figure F.1
Transmitter, launched power	non-OFC, from Figure F.1
Extinction ratio	9 dB minimum
RIN <sub>12</sub>	-116 dB/Hz
Received power	-20 dBm to -3 dBm average power. BER shall be $<10^{-12}$ when the data is sampled across a +/- 10% UI window centered in the receiver eye.
Power penalties	from Figure F.1
Receiver return loss	12 dB minimum
Laser safety features	Transmit power level management with laser overdrive protection circuit.

The standard GBIC pinout and pin definitions shall be used.

## F.2 Optical transmitter power

The optical power required to be launched by the transmitter is a function of the wavelength deviation from the zero dispersion value of the fiber and the spectral width of the source laser. The required optical power can be calculated based on Figure F.1.

Figure F.1: Spectral Width vs. Spectral Center Wavelength vs. Launched Power



The information contained in Figure F.1 is presented in tabular form in table F.2 and table F.3.

**Table F.2: Spectral Width vs. Spectral Center Wavelength vs. Launched Power, 1 of 2**

Minimum Launched Power (dB)	Center Wavelength (μm)										
	1.265	1.270	1.275	1.280	1.285	1.290	1.295	1.300	1.305	1.310	1.315
-8.0	2.75	3.02	3.36	3.77	4.29	4.95	5.85	7.12	7.15	7.18	7.21
-8.5	2.66	2.92	3.25	3.65	4.15	4.80	5.67	6.90	6.93	6.96	7.00
-9.0	2.54	2.80	3.12	3.49	3.97	4.60	5.44	6.62	6.65	6.69	6.72
-9.5	2.38	2.63	2.94	3.29	3.75	4.34	5.14	6.26	6.30	6.34	6.37
	Spectral Width (nm)										

**Table F.3: Spectral Width vs. Spectral Center Wavelength vs. Launched Power, 2 of 2**

Minimum Launched Power (dB)	Center Wavelength (μm)										
	1.320	1.325	1.330	1.335	1.340	1.345	1.350	1.355	1.360	1.365	1.370
-8.0	7.24	7.27	6.10	5.26	4.63	4.14	3.75	3.43	3.17	2.94	2.75
-8.5	7.03	7.06	5.92	5.11	4.50	4.03	3.65	3.34	3.08	2.86	2.67
-9.0	6.76	6.79	5.70	4.92	4.34	3.88	3.52	3.22	2.97	2.76	2.58
-9.5	6.41	6.45	5.42	4.68	4.13	3.70	3.35	3.07	2.84	2.64	2.46
	Spectral Width (nm)										

### F.3 Optical signal definitions

The relationship between the states of the transmitter, receiver, and the received optical power is shown in table F.4.

**Table F.4: Relationship between electrical signal polarity and optical power**

Signal state	+TX_DAT	-TX_DAT	Optical Power	+RX_DAT	-RX_DAT
“1”	HIGH	LOW	HIGH	HIGH	LOW
“0”	LOW	HIGH	LOW	LOW	HIGH

For electrical signals “LOW” is a less positive (more negative) signal than the “HIGH” signal in the same differential pair. For the optical power signal, “LOW” is the minimum optical power state, corresponding to minimum drive to the laser, while “HIGH” is the maximum optical power state, corresponding to maximum laser drive.

#### F.4 Optical transceiver timing

The optical transceiver interface is defined by the Fibre Channel 100-SM-LC-L standard. Additional information is shown in table F.5.

**Table F.5: Optical Transceiver Interface**

Parameter	Symbol	Min.	Max.	Unit	Conditions
Optical Output, TX_DISABLE asserted	P <sub>off</sub>		-35	dBm	Into fiber, average, steady state
RX_LOS negate threshold level		-31	-20	dBm	average power
RX_LOS hysteresis		1	4	dB	No chattering

#### F.5 Initialization and error management

The protocols and timing specified in clause 5 shall be used by module definition 6 GBICs. The TX\_DISABLE, TX\_FAULT, and RX\_LOS signals shall be implemented and operate with the specified protocols.

#### F.6 External connector definition and color coding

The external optical connector shall be the duplex SC connector defined by FC-PH. Exposed surfaces of the external SC connector and/or retention mechanism shall be blue to indicate that only single-mode fiber should be connected to this GBIC.

#### F.7 Recommended external plug color coding

For compliance with international standards and to simplify error free configuration of systems, fibre optic plugs that are used with this GBIC should have blue exposed connector surfaces to indicate that the fibre optic cable is a single-mode cable. Overmolding of the connector is not required to be color coded, but the plug should be clearly identified as single mode by appropriate additional labeling or color coding.





## Annex G: Module definition “7” GBIC (shortwave laser)

### (normative annex)

#### G.1 Overview of module definition 7 GBIC

A GBIC having module definition 7 presents a standard optical interface that is fully compliant with the Fibre Channel 100-M5-SN-I interface, the 100-M6-SN-I interface, and with the IEEE802.3 Gigabit Ethernet 1000BASE-SX interface. When used as a Fibre Channel interface, a compliant GBIC shall interoperate with GBICs having a module definition of 5 or 7. The characteristics are summarized in table G.1

A GBIC having module definition 7 presents a standard optical interface compatible with the Gigabit Ethernet 1000BASE-SX interface. Those characteristics are summarized in table G.1.

**Table G.1: Overview, module definition 7 GBIC**

Parameter	Value
Application	Gigabit Ethernet, 1000BASE-SX interface and Fibre Channel 100-M5-SN-I and 100-M6-SN-I interface
Distance	In 1000BASE-SX environment, 550 meters maximum using 50 micron fiber and 260 meters maximum using 62.5 micron fiber. In Fibre Channel environment, see Annex E.
Data Rate	1250 Mbaud +/- 100 ppm and 1062.5 Mbaud +/- 100 ppm
Data Format	8B/10B
Fiber Type	50 µm or 62.5 µm, multimode
Wavelength	770-860 nm
Minimum Power into Fiber	-10 dBm average
Worst Case Receiver Sensitivity	- 17 dBm average power. BER shall be $<10^{-12}$ when the data is sampled across a +/- 10% UI window centered in the receiver eye.
Laser safety features	Transmit power level management with laser overdrive protection circuit.

The standard GBIC pinout and pin definitions shall be used.

## G.2 Optical signal definitions

The relationship between the states of the transmitter, receiver, and the received optical power is shown in table G.2.

**Table G.2: Relationship between electrical signal polarity and optical power**

Signal state	+TX_DAT	-TX_DAT	Optical Power	+RX_DAT	-RX_DAT
“1”	HIGH	LOW	HIGH	HIGH	LOW
“0”	LOW	HIGH	LOW	LOW	HIGH

For electrical signals “LOW” is a less positive (more negative) signal than the “HIGH” signal in the same differential pair. For the optical power signal, “LOW” is the minimum optical power state, corresponding to minimum drive to the laser, while “HIGH” is the maximum optical power state, corresponding to maximum laser drive.

## G.3 Optical transceiver

The optical transceiver interface is defined by IEEE P802.3z, clause 38. Additional information is shown in table G.3.

**Table G.3: Optical Transceiver Interface**

Parameter	Symbol	Min.	Max.	Unit	Conditions
Optical Output, TX_DISABLE asserted	$P_{off}$		-35	dBm	Into fiber, average, steady state
RX_LOS negate threshold level		-31	-17	dBm	average
RX_LOS hysteresis		1	4	dB	No chattering

## G.4 Initialization and error management

The protocols and timing specified in clause 5 shall be used by module definition 7 GBICs. The TX\_DISABLE, TX\_FAULT, and RX\_LOS signals shall be implemented and operate with the specified protocols.

## G.5 External connector definition and color coding

The external optical connector shall be the duplex SC connector defined by P802.3z. Exposed surfaces of the external SC connector and/or retention mechanism shall be beige or black to indicate that only multi-mode fiber should be connected to this GBIC.

## G.6 Recommended external plug color coding

For compliance with international standards and to simplify error free configuration of systems, fibre optic plugs that are used with this GBIC should have beige or black exposed connector surfaces to indicate that the fibre optic cable is a multi-mode cable. Overmolding of the connector is not

required to be color coded, but the plug should be clearly identified as multi-mode by appropriate additional labeling or color coding.

